

MATERIAL SAFETY DATA SHEET

De-Comp Composites, Inc.

THE INFORMATION PROVIDED IN THIS DOCUMENT WAS GENERATED BY THE MANUFACTURER OF THE PRODUCT. IN ORDER TO PRESERVE "BUSINESS SENSITIVE" INFORMATION THE MANUFACTURER'S IDENTITY HAS BEEN REPLACED WITH DE-COMP COMPOSITES, INC.'S AS AN AUTHORIZED RESELLER/DISTRIBUTOR OF THE PRODUCT. DE-COMP COMPOSITES, INC. MAKES NO WARRANTY WHATSOEVER WITH RESPECT TO THE INFORMATION PROVIDED BY THE MANUFACTURER

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Distributor: De-Comp Composites, Inc.,
RR 4 Box 4460
Cleveland, OK 74020
Toll Free: 877-609-5088

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

PRODUCT INFORMATION:

PRODUCT NUMBER: D734
PRODUCT NAME: 303 BUTYL TAPE
PRODUCT DESCRIPTION: SEALER

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Unlisted ingredients are not 'hazardous' per the Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200) and/or are not found on the Canadian Workplace Hazardous Materials Information System ingredient disclosure list. See Section 8 for any additional exposure limit guidelines.

Chemical Name	CAS #	PERCENT	OSHA PEL
Talc	14807-96-6	10 - 30	TWA (Respirable dust) 2 MG/M3
Calcium carbonate	1317-65-3	10 - 30	TWA (Total dust) 15 MG/M3 TWA (Respirable dust) 5 MG/M3
Oil, petroleum	64742-57-0	10 - 30	TWA * Mist 5 MG/M3
Carbon black	1333-86-4	5 - 10	TWA 3.5 MG/M3
Oil, petroleum	64742-52-5	1 - 5	TWA * Mist 5 MG/M3
Silica, amorphous, gel and precipitated	112926-00-8	1 - 5	TWA 6 MG/M3
Crystalline silica	14808-60-7	0.1 - 1	TWA (Respirable dust) 0.1 MG/M3

*These exposure limits are for mineral oil mist, a related material.

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Cancer hazard.

HMIS RATING: HEALTH --1 FLAMMABILITY -- 1 REACTIVITY -- 0

See SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for personal protective equipment recommendations.

POTENTIAL HEALTH EFFECTS BY ROUTE OF ENTRY

EYE: Can cause minor irritation, tearing and reddening.

MATERIAL SAFETY DATA SHEET

De-Comp Composites, Inc.

THE INFORMATION PROVIDED IN THIS DOCUMENT WAS GENERATED BY THE MANUFACTURER OF THE PRODUCT. IN ORDER TO PRESERVE "BUSINESS SENSITIVE" INFORMATION THE MANUFACTURER'S IDENTITY HAS BEEN REPLACED WITH DE-COMP COMPOSITES, INC.'S AS AN AUTHORIZED RESELLER/DISTRIBUTOR OF THE PRODUCT. DE-COMP COMPOSITES, INC. MAKES NO WARRANTY WHATSOEVER WITH RESPECT TO THE INFORMATION PROVIDED BY THE MANUFACTURER

SKIN: Can cause minor skin irritation, defatting, and dermatitis.

INHALATION: Can cause minor respiratory irritation. Inhalation of dusts produced during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.
Overexposure to crystalline silica may cause silicosis.

INGESTION: Ingestion is not an anticipated route of exposure.

LONG-TERM (CHRONIC) HEALTH EFFECTS

TARGET ORGAN(S): Lungs

REGULATED CARCINOGEN STATUS:

Unless noted below, this product does not contain regulated levels of NTP, IARC, ACGIH, or OSHA listed carcinogens.

Carbon black
Crystalline silica

EXISTING HEALTH CONDITIONS AFFECTED BY EXPOSURE: Lung disease

SECTION 4: FIRST AID MEASURES

IF IN EYES:

Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing.

IF ON SKIN:

Wash with soap and water. Get medical attention if irritation develops or persists.

IF VAPORS INHALED:

Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED:

No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.

SECTION 5: FIRE FIGHTING MEASURES

FLASH POINT: Not applicable

AUTOIGNITION TEMPERATURE: Not established **LOWER EXPLOSIVE LIMIT (% in air):** Not established

UPPER EXPLOSIVE LIMIT (% in air): Not established

EXTINGUISHING MEDIA: Use water spray, foam, dry chemical or carbon dioxide.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Material will burn in a fire.

SPECIAL FIRE FIGHTING INSTRUCTIONS: Persons exposed to products of combustion should wear self-contained breathing apparatus and full protective equipment.

HAZARDOUS COMBUSTION PRODUCTS: Carbon dioxide, Carbon monoxide 2/7/2006

MATERIAL SAFETY DATA SHEET

De-Comp Composites, Inc.

THE INFORMATION PROVIDED IN THIS DOCUMENT WAS GENERATED BY THE MANUFACTURER OF THE PRODUCT. IN ORDER TO PRESERVE "BUSINESS SENSITIVE" INFORMATION THE MANUFACTURER'S IDENTITY HAS BEEN REPLACED WITH DE-COMP COMPOSITES, INC.'S AS AN AUTHORIZED RESELLER/DISTRIBUTOR OF THE PRODUCT. DE-COMP COMPOSITES, INC. MAKES NO WARRANTY WHATSOEVER WITH RESPECT TO THE INFORMATION PROVIDED BY THE MANUFACTURER

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPECIAL PROTECTION: No health effects expected from the cleanup of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this MSDS.

CLEAN-UP: Scrape up and place in disposal container.

SECTION 7: HANDLING AND STORAGE

Handling: Mildly irritating material. Avoid unnecessary exposure.

Storage: Store in a cool, dry place. Consult the Technical Data Sheet for specific storage instructions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION: Wear safety glasses when handling this product.

SKIN PROTECTION: Avoid skin contact by wearing chemically resistant gloves.

GLOVES: Nitrile

RESPIRATORY PROTECTION: Respiratory protection may be required to avoid overexposure when handling this product. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

Respirators should be selected by and used following requirements found in OSHA's respirator standard (29 CFR 1910.134).

VENTILATION: Use local exhaust ventilation or other engineering controls to minimize exposures.

EXPOSURE LIMITS:

Chemical Name	ACGIH EXPOSURE LIMITS	AIHA WEEL
Talc	TWA (Respirable dust) 2 MG/M3	Not established
Calcium carbonate	TWA (Total dust) 10 MG/M3	Not established
Oil, petroleum	TWA * Mist 5 MG/M3 STEL * Mist 10 MG/M3	Not established
Carbon black	TWA 3.5 MG/M3	Not established
Oil, petroleum	TWA * Mist 5 MG/M3 STEL * Mist 10 MG/M3	Not established
Silica, amorphous, gel and precipitated	TWA 10 MG/M3	Not established
Crystalline silica	TWA (Respirable dust) 0.05 MG/M3	Not established

*These exposure limits are for mineral oil mist, a related material.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Solid

COLOR: Black

ODOR: Neutral

ODOR THRESHOLD: Not established

WEIGHT PER GALLON (lbs.): 12.8

MATERIAL SAFETY DATA SHEET

De-Comp Composites, Inc.

THE INFORMATION PROVIDED IN THIS DOCUMENT WAS GENERATED BY THE MANUFACTURER OF THE PRODUCT. IN ORDER TO PRESERVE "BUSINESS SENSITIVE" INFORMATION THE MANUFACTURER'S IDENTITY HAS BEEN REPLACED WITH DE-COMP COMPOSITES, INC.'S AS AN AUTHORIZED RESELLER/DISTRIBUTOR OF THE PRODUCT. DE-COMP COMPOSITES, INC. MAKES NO WARRANTY WHATSOEVER WITH RESPECT TO THE INFORMATION PROVIDED BY THE MANUFACTURER

SPECIFIC GRAVITY: 1.53
SOLIDS (% by weight): Not applicable
pH: Not established
BOILING POINT (deg. C): Not established
FREEZING/MELTING POINT (deg. C): Not established
VAPOR PRESSURE (mm Hg): Not established
VAPOR DENSITY: Not established
EVAPORATION RATE: Not established
OCTANOL/WATER COEFFICIENT: Not established

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable under normal conditions.
CHEMICAL INCOMPATIBILITY: Not established
HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide

SECTION 11: TOXICOLOGICAL INFORMATION

CHEMICAL NAME	LD50/LC50
Talc	Not established
Calcium carbonate	Oral LD50 Rat = 6250 mg/kg
Oil, petroleum	Not established
Carbon black	Oral LD50 Rat >15400 mg/kg Dermal LD50 Rabbit > 3 g/kg
Oil, petroleum	Not established
Silica, amorphous, gel and precipitated	Not established
Crystalline silica	Not established

TOXICOLOGY SUMMARY: No additional health information available.

SECTION 12: ECOLOGICAL INFORMATION

OVERVIEW: No ecological information available

SECTION 13: DISPOSAL CONSIDERATIONS

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Dispose of in an approved landfill. Consult your state, local or provincial authorities and your local waste vendor for more restrictive requirements.

SECTION 14: TRANSPORTATION INFORMATION

Consult Bill of Lading for transportation information. DOT: NOT REGULATED IATA: NOT REGULATED

MATERIAL SAFETY DATA SHEET

De-Comp Composites, Inc.

THE INFORMATION PROVIDED IN THIS DOCUMENT WAS GENERATED BY THE MANUFACTURER OF THE PRODUCT. IN ORDER TO PRESERVE "BUSINESS SENSITIVE" INFORMATION THE MANUFACTURER'S IDENTITY HAS BEEN REPLACED WITH DE-COMP COMPOSITES, INC.'S AS AN AUTHORIZED RESELLER/DISTRIBUTOR OF THE PRODUCT. DE-COMP COMPOSITES, INC. MAKES NO WARRANTY WHATSOEVER WITH RESPECT TO THE INFORMATION PROVIDED BY THE MANUFACTURER

SECTION 15: REGULATORY INFORMATION

INVENTORY STATUS

U.S. EPA TSCA: This product is in compliance with the Toxic Substances Control Act's Inventory requirements.
CANADIAN CEPA DSL: This product is in compliance with the Canadian Domestic Substance List requirements. .

FEDERAL REPORTING

EPA SARA Title III Section 313

Unless listed below, this product does not contain toxic chemical(s) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR part 72. EPA

Chemical Name	CAS#	%

has advised that when a percentage range is listed the midpoint may be used to fulfill reporting obligations.

WHMIS STATUS: Unless listed below, this product is not controlled under the Canadian Workplace Hazardous Materials Information System.

D2B D2A

STATE REPORTING

This MSDS is not prepared for distribution in California.

SECTION 16: ADDITIONAL INFORMATION

This Material Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS).

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to De-Comp Composites, Inc. from its suppliers, and because De-Comp Composites, Inc. has no control over the conditions of handling and use, De-Comp Composites, Inc. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and De-Comp Composites, Inc. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of De-Comp Composites, Inc. products to comply with all applicable federal, state and local laws and regulations.